


Five Bow

FB-LED
44mm x 41/65mm



LIGHT FORMS

Linear

Five Bow is a versatile luminaire with a slim 44mm profile, available in suspended, wall, or surface-mounted options. It features a built-in LED driver for a clean look and is rated IP40 for indoor durability.



Features

Individual, continuous run, or configured shape.

Available in a large range of standard RAL powdercoat finishes as well as a considerable range of premium metallic finishes.

Indirect distribution options available.

Flush diffusers or Drop diffuser options available.

3 standard output options available.

Tuneable White and RGBW options available.

DALI, DMX, 1-10V, wireless dimming control options.

Integral emergency.

Integral proximity sensors upon request.

Five Bow

LIGHT FORMS

Product Options

Mounting Options

Vertical Suspended
Rod Suspended
Wall Mount
Suspended Ceiling
Surface Mount
Track

Shape Options

Straight
Square
Rectangle
L shape
Cross
T Shape
U Shape
Z shape
Custom Shape

CRI Options

80CRI
90CRI

CCT Options

2700K
3000K
3500K
4000K
6500K
2700-6500K

Control Options

Non Dimmable
DALI
1-10V
DMX
Wireless

Direct Output Options

Minimum	-	1178lm/m
Low	-	1751lm/m
Medium	-	3125lm/m
Tuneable Low		1508lm/m
Tuneable Medium		2747lm/m
RGBW		975lm/m

In-Direct Output Options

Minimum	-	1178lm/m
Low	-	1751lm/m
Medium	-	3125lm/m
Tuneable Low		1508lm/m
Tuneable Medium		2747lm/m
RGBW		975lm/m

Lens Options

Clear Prismatic Flush
Diffuse Flush
Diffuse Drop


Additions

DALI motion sensor
Standard motion Sensor
BASIC 3 hour emergency
DALI 3 hour emergency


Five Bow

LIGHT FORMS


Dimensions



Flush Lens




Drop Lens



VS -Vertical Suspended

*Drop length supplied 2500mm.
Length adjustable on site.










RD -Rod Suspended









*Drop Rod length to be confirmed prior to production.
Not adjustable on site.

Body Colours

Light Forms powdercoats all its fittings in house pick from the list below for the stocked standard Light Forms colours. If a specific colour is required Light Forms can source necessary powders with an MOQ of 10kg of raw powder.

	9005 Jet Black		7022 Umbra Grey
	9010 Pure White		7023 Concrete Grey
	1001 Beige		7024 Graphite Grey
	1002 Sand Yellow		7026 Granite Grey
	1007 Daffodil yellow		7030 Stone Grey
	1034 Pastel Yellow		7032 Pebble Grey
	1035 Pearl Beige		7035 Light Grey
	2004 Pure Orange		7037 Dusty Grey
	3011 Brown Red		7043 Traffic Grey B
	3012 Beige Red		7047 Telegrey 4
	4002 Red Violet		7048 Pearl Mouse Grey
	5001 Green Blue		8004 Copper Brown
	5002 Ultramarine Blue		8015 Chestnut Brown
	5008 Grey Blue		8019 Grey Brown
	5009 Azure Blue		8025 Pale Brown
	5011 Steel Blue		9001 Cream
	5012 Light Blue		9002 Grey White
	5013 Cobalt Blue		9003 Signal White
	5025 Pearl Gentian Blue		9004 Signal Black
	6000 Patina Green		9006 White Aluminium
	7009 green Grey		9007 Grey Aluminium
	7010 Tarpaulin Grey		9011 Graphite Black
	7012 Basalt Grey		9016 Traffic White
	7016 Anthracite Grey		9017 Traffic Black
	7021 Black Grey		

Light Forms also offers an extensive range of premium finishes, including specialist metallic finishes.

	Ordos Sable		Golden Splendour
	Nickel Metallic		Dark Bronze
	Mars Sable		Copper Coarse
	Golden Beach		Aluminium Metallic Gloss